REFERNCES:

1. Gangawal N. A., Narasimhan B., Mourya V. K. and Dhake A. S.(2003) Synthesis and QSAR studies of substituted-4-(1H)-quinazolinones. *Indian. J. Heterocycl.Chem.***12**, 201.
2. Padam Kant & Saksena R.K.,(2003), Synthesis and antimicrobial activity of some New 2-phenyl-3-p-(2'-methyl-3'-aryl-4'-oxo-thiazolin-2'-yl)phenylquinazolin-4-ones and 2-phenyl-3-p-(1'-aryl-3-phthlimido-4'-methyllazetidin-2'-one-2'-yl)phenyl- quinazolin -4-ones. *Indian J. Heterocycl. Chem.***12**, 315.
3. Udapi F.H., Ramesh B., and Bhat A. K.,(1999), Synthesis and Biological activity of some quinazolinones derivatives., *Indian. J. Heterocycl. Chem.* **8**, 301.
4. Abdel-Hamid, S.G.,(1997), Synthesis of some New Heterocyclic Systems Bearing 2-Phenyl-6-iodo-4-(3*H*)-quinazolinon-3-yl Moiety as Antibacterial Agents, *J.Ind.Chem. Soc*., **74**, 613-618.
5. Bartroli, J., Turmo, E., Alguero, M., Boncompte, E., Vericat, M.L., Coute, L., Ramis, J., Merlos,M., Garcia-Rafanell, J. & Forn, J. (1998), Synthesis and Antifungal activity of 3-Substituted-4(3*H*)-quinazolinones, *J. Med. Chem*. **41**, 1869–82.
6. Rani Preeti, Archana, Srivastav V. K., and Kumar A., (2002), Synthesis and anti-inflammatory activity of some new 2,3-disubstituted-6-monosubstituted-quinazolin-4(3H)-ones., *Indian. J. Chem.* **41B**, 2642.
7. Srinivasa Reddy P., Venugopala K. N., Rao Gopal Krishna and Sanjay Pai P. N.(2007)**,**Synthesis of some substituted quinazolinones as analgesic and anti-inflammatory agents. *Indian J. Heterocycl. Chem.* **16**, 243.
8. Nandy Parijat, Vishlakshi M.T. and Bhat A.R.(2006), Synthesis and antitubercular activity of mannich bases of 2-methyl-3H-quinazolin-4-ones. *Indian J. Heterocycl. Chem.* **15**,293.
9. Katade Sushama and Phalgune Usha,,(2008), Microwave Studies on synthesized biologically active chalcone derivatives, *Indian J. Chem.*,**Sec B**, 927-934.
10. Vibhute Y.B. and Basser M.A., (2003),Synthesis and activity of a new series of Chalcones as antibacterial agents, *Ind.J. of Chem.*, **42B**, 202-205.
11. Lin YM, Zhou Y, Flavin MT, Zhou LM, Nie W, Chen FC.,(2002),Chalcones and flavonoids as anti-tuberculosis agents. *Bioorg. Med. Chem.*, **10**. 2795–2802.

12. Won, S.J., Liu, C.T., Tsao, L.T., Weng, J.R., Ko, H.H., Wang, J.P. and Lin, C.N. (2005), Synthetic chalcones as potential anti-inflammatory and cancer chemo preventive agents.,. *Eur. J. Med. Chem.,* **40,** 103-12.
13. Rangari V, Gupta VN, Atal CK.,(1990),Synthesis, anti-inflammatory and anti-arthritic activity of newer beta-boswellic acid derivatives. *Indian J Pharm Sci.*,**52**,158–60.
14. Achanta, G., Modzelewska, A., Feng, L., Khan, S.R. and Huang, P.,(2006), A boronic-chalcone derivative exhibits potent anticancer activity through inhibition of the proteasome. *Mol. Pharmacol.,* **70,** 426-433.
15. Leon De, Alcaraz E.J., Dominguez M.J., Charris J, J.N., and Terencio, M.C. (2003), 1-(2,3,4-trimethoxyphenyl)-3-(3-(2-chloroquinolinyl))-2-propen-1-one, A chalcone derivative with analgesic, anti-inflammatory and immunomodulatory properties. *Inflamm. Res.,* **52,** 246-257.
16. Edwards Michael L., Stemerick David M., and Sunkara Prasad S.,(1990), Synthesis of Chalcones: A new class of Antimitotic agents, *J. of Med. Chem.,* **33**, 1948-54.
17. Kumar A, Archana, Srivastava VK, Chandra R.,(2002), Synthesis of potential quinazolinonyl pyrazolines and quinazolinyl isoxazolines as anticonvulsant agents. *Ind J Chem.* **41B**, 2371-75.
18. Mogilaiah K, Sudhakar GR.,(2003), Synthesis of pyrazoline, pyrimidine and 1,5-benzodiazepine derivatives of 1,8-naphthyridine and evalution of antibacterial activity. *Ind J Chem,* **42B,** 636-640.
19 Kumar A, Archana, Srivastava VK, Chandra R.,(2002),Synthesis of potential quinazolinonyl pyrazolines and quinazolinyl isoxazolines as anticonvulsant agents. *Ind J Chem,* **41B**,2371-75.
20. Shah M, Patel P, Korgaokar S, Parekh H.,(1996),Synthesis of pyrazolines, isoxazoles and cynopyridines as potential antimicrobial agents. *Indian J Chem.*,**35**,1282–4.
21. Shah VH, Mehta DS, Purohit DM.,(1997), Synthesis and biological screening of some new 2- pyrazolines, cyanopyridines and benzodiazepines. *Ind J Het Chem,* **6**, 271-76.
22. Kachhadia V.V., Patel M.R., and Joshi H.S.,(2004), Synthesis of Isoxazoles and Cyanopyridines Bearing Benzo(b)thiophene Nucleus as Potential Antitubercular and Antimicrobial Agents, *Journal of Sciences, Islamic Republic of Iran,* **15(1)**, 47-51)
23. Solankee A.N. Solankee S.H. patel G.A. Patel K.P. Patel R.B.,(2011),Potential anti bacterial agent ,Phenyl pyrazolines, cynopyridines and isoxazoles., *Der pharma chemica,* **3(1)**, 300-305.

24. Cocco. M.T.,Congiu.C, Lilliu. V.,Onnis V.,(2005), Synthesis and anti proliferative activity of 2,6,-dibenzylamino-3,5-dicyanopyridines on human cancer cell lines., *Eur j.Med.Chem.*, **40**, 1365-1372.

25. Nandy Parijat, Vishlakshi M.T. and Bhat A.R.,(2006), Synthesis and antitubercular activity of mannich bases of 2-methyl-3H-quinazolin-4-ones., *Indian J. Heterocycl. Chem.* **15**,293.

26. Bishnoi Abha, Saxena Rashmi, Srivastav Krishna, Joshi M. N. and Bajpai S.K.(2006) Synthesis and biological activity of oxo/thionotriazolo isoquinazolones. *Indian J. Heterocycl. Chem.***15**, 307.

27. Patel N.B.,Shaikh A.R.,(2010), Synthesis, characterization and *in vitro* antimicrobial studies of new 2,3-disubstituted quinazolin-4(3*H*) ones of 2-[2-(2,6-dichlorophenyl) amino] phenyl acetic acid, *Indian Journal of Chemistry*,**49B(07),**929-936.

28. Srinivasa Reddy P.,Venugopala K.N., Rao Gopal Krishna and Sanjay Pai P. N., (2007),Synthesis of some substituted quinazolinones as analgesic and anti-inflammatory agents. *Indian J. Heterocycl. Chem.* **16**. 243.

29. Panneerselvam P., Ahmad B.R., Sankar R.D., Kumar R.N., (2009), synthesized some Schiff bases of 3-amino-6, 8-dibromo-2 phenylquinazolin-4(3H)-ones,*European Journal of Medicinal Chemistry*, **44,** 2328-2333.

30. Raghavendra M.N., Thampi P., Gurubasavarajaswamy P.M., Shriram D., (2007), synthesized some novel substituted 2-Imidazolyl-*N*-(4-oxoquinazolin-3(4*H*)-yl)-acetamides derivatives, *Chem.Pharm.Bull.* **55(11),** 1615-1619.

31. Nanda A.K., Ganguli S., Chakraborty R.,(2007), synthesized some 3-(arylideneamino)- 2-phenylquinazoline-4(3H)-ones derivatives, *Molecules*,**12,** 2413-2426.

32. Ilango K., Valentina P., Umarani N., Beena K.P., (2010), synthesize newer quinazolin-4-(3H)-one clubbed isatin derivatives, *Int. J. Res. Pharm. Sci* ,**1(2),** 133-138.

33. Nowakowska.Z,Kedzia.B, Chroeder.G.S,(2008),Synthesis,physicochemical properties and anti-microbial evaluation of new (E)-Chalcones. *Eur J Med.Chem.* **43,** 707-713**.**

34. Solankee Anjani, Patel J.,(2004), Synthesis of chalcones, pyrazolines,amino pyrimidines and pyrimidine thiones as antibacterial agent., *Ind J Chem,* **43B**,1580-84.

35. Gurubasavaraj V.Pujar, Synesh.C, Madhusudan N, Purohit, Srinivasalu.N & Udupi R.H, (2008),Synthesis,anticonvulsant and antibacterial activities of some novel derived from benzoxazole and benzimidazole. *Indian J.Heterocycl. Chem.*,**17,** 387-88.

36. Arunkumar S., Ilango K., Manikandan R. S., and Ramalakshmi N.,(2009), Synthesis and Anti-inflammatory Activity of Some novel pyrazole derivatives of Gallic Acid, *E- Journal of Chem*. **6 (S1)**, S123 - S 128.

37. Deshmukh.M.B., Salunkhe.S.M., Patil.D.R., Anbhule.P.V.,(2009), A novel and efficient One step synthesis of 2-amino-5-cyano-6-hydroxy-4-aryl pyrimidines and their antibacterial activity. *European journal of medicinal chemistry*,**44**, 2651-2654.

38. Deshmukh.M.B., Anbhule.P.V., Jadhav.S.D., Jagtap.S.S. Patil.D.R., Sankpal.,(2008), A novel and environmental friendly, one-step synthesis of 2,6-Diamino-4-phenyl pyrimidine-5-carbonitrile *Indian J. Chem.*,**47B**, 792-795.

39. Kuntal M, Agarwal YK.,(2010), Design, synthesis and antitubercular evaluation of novel series of 3-benzofuran-5-aryl-1-pyrazolyl-pyridyl methanone and 3-benzofuran-5-aryl-1-pyrazolyl carbonyl-4-oxo-naphthyridin analogs. *Eur J Med Chem.***45**,3831-9.

40. Sanghani A.M,Sanja D.B, Rajani V.R & Godhani D. R.(2008)**,** Synthesis and biological activities of 4- oxo thiazolidine derivatives, *J. of Indian Chem. Soc.*,**85**,557-560.

41. Patel P.S., Shah R. A., Trivedi D. K. & Vyas P. J.,(2009)**,** Synthesis of 4-(4- Hydroxy benzylidene)-1-{4-[3-(SubstitutedPhenyl)prop-2-enoyl]phenyl}-2-methyl-Imidazol-5-one, *Asian Journal of Chemical and Environment Research ,* **2(1-2),** 44-46.

42. Patel P. S., Shah R. A., Trivedi D.K. and Vyas P. J.,(2009), Synthesis of 5-(SubstitutedPhenyl) -{3-[4-(2-methyl-4- benzylidene -5-oxo-imidazol-1-yl)]phenyl}-4,5-dihydropyrazol and study of the antimicrobial activities, *Asian Journal of Chemical and Environment Research* ,**2(1-2)**, 6-9.

43. Patel P.S.,Shah R. A.,Trivedi D. K. & Vyas P. J.,(2010), Synthesis, Characterization and Antimicrobial activities of 1-acetyl-5-(substituted phenyl)-{3-[4-(2-methyl-4-benzylidene-5-oxo-imidazol-1-yl)]phenyl}-4,5-dihydropyrazol, *Der Pharma Chemica*, **2(1)**, 168-172.

44. Patel P.S., Shah R. A., Trivedi D. K. and Vyas P. J.,(2010),Synthesis, Spectral and microbial Studies of Some Novel benzoyl Derivatives of 5-(substituted phenyl)-{3-[4-(2-methyl-4-benzylidene-5-oxo-imidazol-1-yl)]phenyl}-4,5-dihydropyrazol,*Ultra Chemistry*, **6(1)**, 47-52.

45. Ankhiwala M. D., (1990), Studies on Pyrazolines Part-II. Preparation and Antimicrobial Activityof1H-3-(2”-Hydroxy-3”-bromo-4”-n-butoxy-5-nitro-phen-1”-yl)-5-substituted-phenyl-2-pyrazolines and related Compounds, *I. Journal Chem. Soc.*,**67**, 514-516.
46. Nimavat Kiran S., Popat K. H., and Joshi H. S.,(2003),Synthesis anticancer, anti tubercular and antimicrobial activity of 1-Substituted-3-aryl-5-(3’-bromophenyl)-Pyrazolines, *Indian Journal of Heterocyclic Chemistry,***12**,225-228.
47. Trivedi Dipak K.,(2003)**,** Ph.D.Thesis,, Synthesis of Some Novel Heterocyclic Compounds and Antimicrobial Activites., *South Gujarat University, Surat*